

New England Biolabs Certificate of Analysis

Product Name: NEBNext[®] Poly(A) mRNA Magnetic Isolation Module
 Catalog Number: E7490S
 Packaging Lot Number: 10064141
 Expiration Date: 10/2021
 Storage Temperature: 4°C
 Specification Version: PS-E7490S/L v1.0

NEBNext [®] Poly(A) mRNA Magnetic Isolation Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7499AVIAL	NEBNext [®] Oligo dT(25) Magnetic Beads	10054406	Pass
E7496AVIAL	NEBNext [®] Tris Buffer	10054405	Pass
E7495AVIAL	Nuclease-free Water	10054404	Pass
E7493AVIAL	NEBNext [®] Wash Buffer	10054403	Pass
E7492AVIAL	NEBNext [®] RNA Binding Buffer (2X)	10054402	Pass

Assay Name/Specification	Lot # 10064141
<p>Functional Testing (Poly(A) Isolation)</p> <p>The NEBNext[®] Poly(A) Isolation Module is functionally validated using commercially available human RNA (e.g. UHRR). After treatment using the kit's minimum and maximum input requirements, RNA yield is assessed by Bioanalyzer. Libraries made from previous and current lots, using the minimum and maximum input amounts are sequenced together on the same Illumina[®] flow cell and compared across various metrics including library yield, individual transcript abundance correlations, 5'-3' transcript coverage, and fraction of reads mapping to a reference. This method produces libraries with less than 10% rRNA.</p>	Pass
<p>* Individual Product Component Note</p> <p>Standard Quality Control Tests are performed for each component included in NEBNext[®] Poly(A) mRNA Magnetic Isolation Module and meet the designated specifications.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

Christine Sumner

Christine Sumner
Production Scientist
30 Dec 2019

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
30 Dec 2019